

Super ECO Remover

SDS Preparation Date (mm/dd/yyyy): 05/30/2018

Page 1 of 11

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **Super ECO Remover**

Product Code(s) : 2001 - 2004

Recommended use of the chemical and restrictions on use

: Paint, varnish and glue remover.
Restriction on use: None known

Chemical family : Mixture

Name, address, and telephone number of the supplier:

Distribution J. Des Serres Inc. (Super Décapant)

619 Rue du Luxembourg
Granby, QC, Canada
J2J 2V2

Supplier's Telephone # : (450) 770-2948; (866) 772-2948 (Toll Free)
(Monday - Friday, 8:00 am - 5:00 pm, Eastern Time)

24 Hr. Emergency Tel # : In case of transportation emergencies: (613) 996-6666 (CANUTEC)

Name, address, and telephone number of the manufacturer:

Refer to supplier

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear gel liquid. Fishy odor.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification

Flammable Liquids - Category 3

Acute Toxicity, inhalation - Category 3 (vapor)

Serious eye damage/eye irritation - Category 2A

Reproductive Toxicity - Category 2

Specific Target Organ Toxicity, Single Exposure - Category 3 narcotic effects

Specific Target Organ Toxicity, Repeated Exposure - Category 2

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

Hazard statement(s)

Flammable liquid and vapour.

Toxic if inhaled.

Causes serious eye irritation.

Suspected of damaging fertility or the unborn child.

May cause drowsiness or dizziness.

May cause damage to organs through prolonged or repeated exposure.

Super ECO Remover

SDS Preparation Date (mm/dd/yyyy): 05/30/2018

Page 2 of 11

SAFETY DATA SHEET

Precautionary statement(s)

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Keep container tightly closed.
Ground and bond container and receiving equipment.
Take precautionary measures against static discharge.
Use only non-sparking tools.
Use explosion-proof electrical and ventilating equipment.
Do not breathe mist or vapor.
Use only outdoors or in a well-ventilated area.
Wash thoroughly after handling.
Wear protective gloves/clothing and eye/face protection.

IF exposed: Call a Poison Center or doctor/physician.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If in eyes: Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell.
In case of fire: Use water fog, dry chemical, CO2 or 'alcohol' foam to extinguish.

Store locked up.
Store in a well-ventilated place. Keep container tightly closed.
Keep cool.

Dispose of contents/container in accordance with local regulation.

Other hazards

Other hazards which do not result in classification: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Direct skin contact may cause slight or mild, transient irritation. May cause an allergic skin reaction (e.g. hives, rash) in some hypersensitive individuals.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
N,N-Dimethylmethanamide	DMF	68-12-2	80.0 - 100.0
Orange oil	Valencia Orange Oil	8008-57-9	0.1 - 1.0

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

- Ingestion* : Seek immediate medical attention/advice. Do NOT induce vomiting. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person.
- Inhalation* : Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Seek immediate medical attention/advice.
- Skin contact* : Remove/Take off immediately all contaminated clothing. Wash thoroughly with soap and water for at least 20 minutes. Seek immediate medical attention/advice.
- Eye contact* : Immediately flush eyes with running water for at least 20 minutes. Seek immediate medical attention/advice.

Super ECO Remover

SDS Preparation Date (mm/dd/yyyy): 05/30/2018

Page 3 of 11

SAFETY DATA SHEET

Most important symptoms and effects, both acute and delayed

- : Toxic if inhaled. May cause drowsiness or dizziness. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Causes serious eye irritation. Symptoms may include stinging, tearing, redness and swelling. May cause damage to organs through prolonged or repeated exposure. Suspected of damaging fertility or the unborn child.

Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically. This product is a CNS depressant. Show this safety data sheet to the doctor in attendance.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

- : Dry chemical, foam, carbon dioxide and water fog.

Unsuitable extinguishing media

- : Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

- : Flammable liquid and vapour. Vapours are heavier than air and collect in confined and low-lying areas. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

Flammability classification (OSHA 29 CFR 1910.106)

- : Flammable Liquids - Category 3

Hazardous combustion products

- : Carbon oxides; Ammonia; Nitrogen oxides and other irritating fumes and smoke.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

- : Firefighters should wear an approved full-face, self-contained breathing apparatus (SCBA) and impervious clothing.

Special fire-fighting procedures

- : Immediately evacuate personnel to safe areas. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Fight fires from a safe distance. Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- : Ensure clean-up is conducted by trained personnel only. Keep all other personnel upwind and away from the spill/release. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.

Environmental precautions : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. For large spills, dike the area to prevent spreading.

Methods and material for containment and cleaning up

- : Ventilate area of release. Remove all sources of ignition. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13).

Super ECO Remover

SDS Preparation Date (mm/dd/yyyy): 05/30/2018

Page 4 of 11

SAFETY DATA SHEET

Special spill response procedures

- : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).
US CERCLA Reportable quantity (RQ): See section 15.

In Canada: For 24-hour emergency assistance, call: 1-613-996-6666 (CANUTEC).

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

- : Wear protective gloves/clothing and eye/face protection. Do not ingest. Do not breathe mist or vapor. Avoid contact with skin, eyes and clothing. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking. Keep containers tightly closed when not in use. Ground/Bond container and receiving equipment. Take precautionary measures against static discharge. Use only non-sparking tools. Use explosion-proof electrical and ventilating equipment.

- Conditions for safe storage** : Store in a cool, dry, well-ventilated area. Store away from incompatibles and out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.

- Incompatible materials** : Strong oxidizing agents; Strong bases; Strong acids; Halogenated compounds

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Exposure Limits:</u>					
	<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
		<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
N,N-Dimethylmethanamide	10 ppm	N/Av	10 ppm ; 30 mg/m ³ (skin)	N/Av	
Orange oil	N/Av	N/Av	N/Av	N/Av	

Exposure controls

Ventilation and engineering measures

- : Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits. Use explosion-proof electrical and ventilating equipment.

Respiratory protection

- : If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. A self contained breathing apparatus should be used in emergency situations or instances where exposure levels are not known. Advice should be sought from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

Skin protection

- : Wear protective gloves/clothing. Advice should be sought from glove suppliers.

Eye / face protection

- : Wear eye/face protection. Chemical splash goggles must be worn when handling this material. A full face shield may also be necessary.

Other protective equipment

- : Wear resistant clothing and boots. An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.

General hygiene considerations

Super ECO Remover

SDS Preparation Date (mm/dd/yyyy): 05/30/2018

Page 5 of 11

SAFETY DATA SHEET

: Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Do not ingest. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove and wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Colourless gel.
Odour : Fishy odour.
Odour threshold : N/Av
pH : N/Av
Melting/Freezing point : -61°C (-77.8°F)
Initial boiling point and boiling range
: 153°C (307.4°F)
Flash point : 58°C (136.4°F)
Flashpoint (Method) : closed cup
Evaporation rate (BuAe = 1) : N/Av
Flammability (solid, gas) : Not applicable.
Lower flammable limit (% by vol.)
: 2.2 (based on ingredients)
Upper flammable limit (% by vol.)
: 16.0 (based on ingredients)
Oxidizing properties : None known.
Explosive properties : Not explosive
Vapour pressure : N/Av
Vapour density : (Air = 1) 2.52
Relative density / Specific gravity
: 0.94
Solubility in water : Complete
Other solubility(ies) : Not available.
Partition coefficient: n-octanol/water or Coefficient of water/oil distribution
: N/Av
Auto-ignition temperature : 410°C (770°F) (based on ingredients)
Decomposition temperature : Not available.
Viscosity : N/Av
Volatiles (% by weight) : Not available.
Volatile organic Compounds (VOC's)
: N/Av
Absolute pressure of container
: N/Av
Flame projection length : N/Av
Other physical/chemical comments
: None reported by the manufacturer.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not expected to be reactive.
Chemical stability : Stable under the recommended storage and handling conditions prescribed.
Possibility of hazardous reactions
: No dangerous reaction known under conditions of normal use.

Super ECO Remover

SDS Preparation Date (mm/dd/yyyy): 05/30/2018

Page 6 of 11

SAFETY DATA SHEET

- Conditions to avoid** : Avoid heat and open flame. Keep away from direct sunlight. Do not use in areas without adequate ventilation.
- Incompatible materials** : See Section 7 (Handling and Storage) for further details.
- Hazardous decomposition products** : None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

- Routes of entry inhalation** : YES
- Routes of entry skin & eye** : YES
- Routes of entry Ingestion** : YES
- Routes of exposure skin absorption** : YES

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

- : Toxic if inhaled. May cause drowsiness or dizziness. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Prolonged overexposure may cause liver and kidney effects.

Sign and symptoms ingestion

- : Ingestion can cause gastrointestinal irritation, nausea, and diarrhea. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects.

Sign and symptoms skin

- : May cause mild skin irritation. The product may be absorbed through the skin.

Sign and symptoms eyes

- : Causes serious eye irritation. Symptoms may include severe pain, tearing, redness, swelling and blurred vision.

Potential Chronic Health Effects

- : Prolonged or repeated contact may cause drying, cracking and defatting of the skin. Liver and kidney injuries may occur.

Mutagenicity

- : Not expected to be mutagenic in humans.

Carcinogenicity

- : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

- : This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Reproductive Toxicity - Category 2 Suspected of damaging fertility or the unborn child. Contains Dimethylformamide. Dimethylformamide may cause adverse reproductive effects (lowered mating index and number/size of litters) as well as adverse developmental effects (reduced survival rate and cranio-facial/sternal malformations) based on animal data.

Sensitization to material

- : This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). May cause an allergic skin reaction (e.g. hives, rash) in some hypersensitive individuals.

Super ECO Remover

SDS Preparation Date (mm/dd/yyyy): 05/30/2018

Page 7 of 11

SAFETY DATA SHEET

Specific target organ effects : Eyes, skin, respiratory system, digestive system, central nervous system.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:
Specific Target Organ Toxicity, Single Exposure - Category 3 narcotic effects
May cause drowsiness or dizziness.

Specific Target Organ Toxicity, Repeated Exposure - Category 2
May cause damage to organs through prolonged or repeated exposure.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Synergistic materials

: None known or reported by the manufacturer.

Toxicological data

: There is no data available for this product. The calculated ATE values for this mixture are: ATE inhalation (vapours) = 5.97 mg/L

Chemical name	LC₅₀(4hr) inh. rat	LD₅₀	
		(Oral, rat)	(Rabbit, dermal)
N,N-Dimethylmethanamide	>5900 mg/m ³ >5.85mg/L	3040 mg/kg	>3160 mg/kg
Orange oil	N/Av	>5 g/kg	>5 g/kg

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: No data is available on the product itself. See the following tables for individual ingredient ecotoxicity data. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

Ecotoxicity data:

Ingredients	CAS No	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
N,N-Dimethylmethanamide	68-12-2	7100 mg/L (Bluegill sunfish)	3200 mg/L (Fathead minnow)	None.
Orange oil	8008-57-9	0.75 mg/L (Fathead minnow)	N/Av	1

Ingredients	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
N,N-Dimethylmethanamide	68-12-2	>100 mg/L Water flea	1500 mg/L Water flea	None.
Orange oil	8008-57-9	0.36 mg/L (Daphnia magna)	N/Av	1

Super ECO Remover

SDS Preparation Date (mm/dd/yyyy): 05/30/2018

Page 8 of 11

SAFETY DATA SHEET

Ingredients	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
N,N-Dimethylmethanamide	68-12-2	>1000 mg/L/96hr (Green algae)	N/Av	None.
Orange oil	8008-57-9	150mg/L (Green algae)	50 mg/L (Green algae)	None.

Persistence and degradability

: No data is available on the product itself.

Bioaccumulation potential

: No data is available on the product itself.

Components	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
N,N-Dimethylmethanamide (CAS 68-12-2)	-1.028	0.3 - 1.2 BCF method: OECD
Orange oil (CAS 8008-57-9)	4.57	660

Mobility in soil

: No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle waste according to recommendations in Section 7. Do not cut, weld, drill or grind on or near this container. Empty containers retain residue (liquid and/or vapour) and can be dangerous.


Methods of Disposal

: Reuse or recycling should be given priority over disposal. If the material is unsuitable for recycling or reclamation, dispose of in accordance with federal, provincial and local hazardous waste laws. Contact your local, state or federal environmental agency for specific rules.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN2265	N,N-DIMETHYLFORMAMIDE	3	III	
TDG Additional information	Within Canada, the Limited Quantity Exemption may apply for containers which hold specific quantities of the product. Under the TDGR, refer to section 1.17 for Limited Quantity Exemption information, if shipping under this exemption.				
49CFR/DOT	UN2265	N, N-DIMETHYLFORMAMIDE	3	III	
49CFR/DOT Additional information	May be shipped as a Limited Quantity according to packaging section 173.150. Refer to 49 CFR Section 173.150.				



Super ECO Remover

SDS Preparation Date (mm/dd/yyyy): 05/30/2018

Page 9 of 11

SAFETY DATA SHEET

- Special precautions for user** : Keep away from heat, sparks and open flame. - No smoking.
Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
 : Not available.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
N,N-Dimethylmethanamide	68-12-2	Yes	100 lb/ 45.4 kg	None.	Yes	1%
Orange oil	8008-57-9	Yes	N/Ap	N/Av	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Immediate (Acute) health hazard; Chronic Health Hazard; Fire Hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
N,N-Dimethylmethanamide	68-12-2	Yes	Cancer.	Yes	Yes	Yes	Yes	Yes	Yes
Orange oil	8008-57-9	No	N/Ap	No	No	No	No	No	No

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL). WHMIS information: See Section 2.

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECS	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
N,N-Dimethylmethanamide	68-12-2	200-679-5	Present	Present	(2)-680	KE-11411	Present	HSR001133
Orange oil	8008-57-9	N/Av	Present	Present	N/Av	KE-27171	Present	HSR003493

SECTION 16. OTHER INFORMATION

Legend : ACGIH: American Conference of Governmental Industrial Hygienists

Super ECO Remover

SDS Preparation Date (mm/dd/yyyy): 05/30/2018

Page 10 of 11

SAFETY DATA SHEET

CA: California
CAS: Chemical Abstract Services
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
DOT: Department of Transportation
HSDB: Hazardous Substances Data Bank
IARC: International Agency for Research on Cancer
Inh: Inhalation
LC: Lethal Concentration
LD: Lethal Dose
MA: Massachusetts
MN: Minnesota
MSHA: Mine Safety and Health Administration
N/Ap: Not Applicable
N/Av: Not Available
NIOSH: National Institute of Occupational Safety and Health
NJ: New Jersey
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
PA: Pennsylvania
PEL: Permissible exposure limit
QSAR: Quantitative structure-activity relationship
RCRA: Resource Conservation and Recovery Act
RI: Rhode Island
RTECS: Registry of Toxic Effects of Chemical Substances
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit
TCC: Tagliabue Closed Cup
TDG: Canadian Transportation of Dangerous Goods Act & Regulations
TLV: Threshold Limit Values
TWA: Time Weighted Average
TSCA: Toxic Substance Control Act
WHMIS: Workplace Hazardous Materials Identification System

References :

1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2016.
2. International Agency for Research on Cancer Monographs, searched 2016.
3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases, 2016 (Chempendium, HSDB and RTECs).
4. Material Safety Data Sheets from manufacturer.
5. US EPA Title III List of Lists - March 2015 version.
6. California Proposition 65 List - May 2016 version.
7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2016.

Preparation Date (mm/dd/yyyy)

: 05/30/2018

Other special considerations for handling

: Provide adequate information, instruction and training for operators.





Distribution J. Des Serres Inc. (Super Décapant)
619 Rue du Luxembourg
Granby, QC, Canada, J2J 2V2
Telephone: (450) 770 2948

Super ECO Remover

SDS Preparation Date (mm/dd/yyyy): 05/30/2018

Page 11 of 11

SAFETY DATA SHEET

<p><u>Prepared for:</u> Distribution J. Des Serres Inc. C.P. 12 Granby, QC, Canada. J2J 1A3 Telephone: (450) 772-2948 Direct all enquiries to: Distribution J. Des Serres</p>	
<p><u>Prepared by:</u> ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada) http://www.thecompliancecenter.com</p>	

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from Distribution J. Des Serres Inc and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Distribution J. Des Serres Inc expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and Distribution J. Des Serres Inc.

END OF DOCUMENT